

MODELS TAHOE

SERIES 6900


FINISH - Anodized, Black, Adobe, White,
Bronze, Tan Painted

GRILLE - Imperial Small Pattern
Expanded Metal Grille Built-in
With Plastic Grille Surround

SIZES - 30", 32", 36", 42"

SPECIFICATIONS:

- 3/4" x 2-1/4" x .055 Extruded Frame
- Extruded Corner Locks with 4 Screws Per Corner
- 12" - .038 Diamond Embossed Kickplate
- 3-1" Extruded Push Bars
- 1-3/4" Side & Bottom Adjustment Channel
- 3-Oilite Bearing Hinges Riveted to Channel
- Pneumatic Closer and Latch
- Protective **: active** PACKAGING
- Fiberglass Screening
- Special Sizes Available



MODEL - La Jolla

SERIES - 6300

FINISHES - Anodized, Black, Adobe, White, Bronze, Tan Painted


GRILLE - Skipmesh Pattern Expanded Metal Grille Built-in With Plastic Grille Surround

Grille and frame colors can be mixed or matched. Unless otherwise specified they will be the same.

SIZES - 30", 32", 36"

SPECIFICATIONS:

- 3/4" x 2-1/4" x .055 Extruded Frame
- Extruded Corner Locks with 4 Screws Per Corner
- 12" - .038 Diamond Embossed Kickplate With Clear Adhesive
- 3-1" Extruded Push Bars
- 1 3/4" Side & Bottom Adjustment Channels
- 3-Oilite Bearing Hinges Riveted to Channel
- Pneumatic Closer and Latch
- Protective **active** PACKAGING
- Fiberglass Screening
- Special Sizes Available to 35 1/4" Width Maximum



MODEL - OASIS

SERIES - 6100


FINISH - Bronze, Adobe, White, Black,
Tan Painted & Anodized

GRILLE - Oasis Grille

SIZES - 30", 32", 36"

SPECIFICATIONS:

- 3/4" x 2-1/4" x .055 Extruded Frame
- Extruded Corner Locks with 4 Screws Per Corner
- 9" - .038 Diamond Embossed Kick Plate with Clear Adhesive
- 2 - 1" Extruded Push Bars
- 1-3/4" Extruded Side and Bottom Adjustment Channels
- 3 Oilite Bearing Hinges Riveted to Channel
- Pneumatic Closer and Latch
- Protective **: active** PACKAGING
- Fiberglass Screening
- Special Sizes Available to 35 1/4" Width Maximum



MODEL - EL DORADO

SERIES - 3900


FINISH - Adobe Painted, Bronze Painted,
Black Painted, White Painted,
Tan Painted

GRILLE - Cast Peacock Grille, All Finishes

SIZES - 30", 32", 36", 42"

SPECIFICATIONS:

- 3/4" x 2-1/4" x .055 Extruded Frame
- Extruded Corner Locks with 4 Screws Per Corner
- 12" .038 Side & Diamond Embossed Kickplate
- 1-3/4" Side & Bottom Adjustment Channel
- 3-Oilite Bearing Hinges Riveted to Channels
- Pneumatic Closer and Latch
- Protective **: active** PACKAGING
- Fiberglass Screening
- Special Sizes Available



MODEL - SANTA FE, 6700


FINISH - Anodized, Black, Adobe, White, Bronze, Tan Painted

GRILLE - Heavy Duty 3/16" Continuous Extruded Amplimesh Grille.

SIZES - 30", 32", 36", 42"

SPECIFICATIONS:

- 3/4" x 2-1/4" x .055 Extruded Frame
- Extruded Corner Locks with 4 Screws Per Corner
- 12" - .038 Diamond Embossed Kickplate
- 1-3/4" Side & Bottom Adjustment Channels
- 3- Oilite Bearing Hinges Riveted to Channels
- Pneumatic Closer and Latch
- Protective **: active** PACKAGING
- Fiberglass Screening
- Special Sizes Available On sizes greater than 35-1/4", Grille is turned sideways



MODEL - FULL SANTA FE, 6800


FINISH - Anodized, Black, Adobe, White, Bronze, Tan Painted

GRILLE - Heavy Duty 3/16" Continuous Extruded Amplimesh Grille.

SIZES - 30", 32", 36", 42"

SPECIFICATIONS:

- 3/4" X 2-1/4" x .055 Extruded Frame
- Extruded Corner Locks with 4 Screws Per Corner
- 12" - .038 Diamond Embossed Kickplate
- 1-3/4" Side & Bottom Adjustment Channels
- 3-Oilite Bearing Hinges Riveted to Channels
- Pneumatic Closer and Latch
- Protective **: active** PACKAGING
- Fiberglass Screening
- Special Sizes Available. On sizes greater than 35-1/4", Grille is turned sideways and unioned in 2 equal panels.



MODEL - PROTECTO, 4400


FINISH - Anodized, Black, Adobe, White
Bronze, Tan Painted

GRILLE - Heavy Duty 3/16" Continuous
Extruded Amplimesh Grille.

SIZES - 30", 32", 36", 42"

SPECIFICATIONS:

- 3/4" x 2-1/4" x .055 Extruded Frame
- Extruded Corner Locks with 4 Screws
Per Corner
- 12" .038 Diamond Embossed Kickplate
- 1-3/4" Side & Bottom Adjustment Channels
- 3- Oilite Bearing Hinges Riveted to Channels
- Pneumatic Closer and Latch
- Protective **active** PACKAGING
- Fiberglass Screening
- Special Sizes Available. On sizes greater
than 35 1/4", Grille is turned sideways



MODEL - FULL PROTECTO, 4800


FINISH - Anodized, Black, Adobe, White, Bronze, Tan Painted

GRILLE - Heavy Duty 3/16" Continuous Extruded Amplimesh Grille.

SIZES - 30", 32", 36", 42"

PECIFICATIONS:

- 3/4" x 2-1/4" x .055 Extruded Frame
- Extruded Corner Locks with 4 Screws Per Corner
- 12" .038 Diamond Embossed Kickplate
- 1-3/4" Side & Bottom Adjustment Channels
- 3-Oilite Bearing Hinges Riveted to Channels
- Pneumatic Closer and Latch
- Protective **: active** PACKAGING
- Fiberglass Screening
- Special Sizes Available. On sizes greater than 35-1/4", Grille is turned sideways and unioned in 2 equal panels.



MODEL - VISTA


SERIES - 4500

FINISH - Anodized, Black, Adobe, White,
Bronze, Tan Painted

SIZES - 30", 32", 36", 42"

SPECIFICATIONS:

- 3/4" X 2-1/4" x .055 Extruded Frame
- Extruded Corner Locks with 4 Screws Per Corner
- 4" .038 Diamond Embossed Kickplate (6-1/8" Overall)
- 1-3/4" Side & Bottom Adjustment Channels
- 3-Oilite Bearing Hinges Riveted to Channels
- Pneumatic Closer and Latch
- Protective : **active** PACKAGING
- Fiberglass Screening
- Special Sizes Available. 48 hour Lead Time.



MODEL - MODEL E


SERIES - 6000

FINISH - Anodized, Black, Adobe, Mill Finish
White, Bronze, Tan Painted

SIZES - 30", 32", 36", 42"

SPECIFICATIONS:

- 3/4" x 2-1/4" x .055 Extruded Frame
- Double Strength Extrude Corner Locks with 4 Screws Per Corner
- 9" Diamond Embossed Kick plate
- 2-1" Extruded Push Bars
- 1-3/4" Side & Bottom Adjustment Channels
- 3-Oilite Bearing Hinges Riveted to Channel
- Protective **: active** PACKAGING
- Fiberglass Screening
- Special Sizes Available.
- Pneumatic Closer and Latch



MODEL - Craftsman

SERIES - 4700


FINISH - Anodized, Adobe, Black, Bronze, Tan, White

GRILLE - 1" Extruded Push Bar Grille Pattern (shown) is Standard for All Door Sizes

SIZES - 30", 32", 36", 42"

SPECIFICATIONS:


- 3/4" x 2-1/4" x .055 Extruded Frame
- Extrude Corner Locks with 4 Screws Per Corner
- 9" .038 Diamond Embossed Kick plate
- 1-3/4" Side & Bottom Adjustment Channels
- 3-Oilite Bearing Hinges Riveted to Channels
- Pneumatic Closer and Latch
- Protective **: active** PACKAGING
- Fiberglass Screening
- Special Sizes Available.
(These doors cannot be cut down in width)



- MODEL** - PRAIRIE 9- LITE
- SERIES** - 4600
- FINISH** - Anodized,, Black, Adobe, White, Bronze, Tan
- GRILLE** - 1" Extruded Push Bar Grille
9-Lite Pattern (shown) is Standard For All Door Sizes.
- SIZES** - 30", 32", 36", 42"

SPECIFICATIONS:

- 3/4" X 2-1/4" x .055 Extruded Frame
- Extruded Corner Locks with 4 Screws Per Corner
- 9" .038 Diamond Embossed Kick plate
- 4" DLO (Daylight Opening)
- 1-3/4" Extruded Side & Bottom Adjustment Channels
- 3-Oilite Bearing Hinges Riveted to Channel
- Pneumatic Closer and Latch
- Protective **: active** PACKAGING
- Special Sizes Available, 48 hour Lead Time. (These doors cannot be cut down)



MODEL - CAPE COD

SERIES - 6500


FINISH - Anodized, Black, Adobe,
White, Bronze, Tan Painted

GRILLE - 1" Extruded Push Bar Grille
Divided Lite Styled
15 Lite Pattern (shown) is Standard
For All Door Sizes.

SIZES - 30", 32", 36", 42"

SPECIFICATIONS:

- 3/4" X 2-1/4" x .055 Extruded Frame
- Extruded Corner Locks with 4 Screws Per Corner
- 9" .038 Diamond Embossed Kick plate
- 1-3/4" Side & Bottom Adjustment Channels
- 3-Oilite Bearing Hinges Riveted to Channels
- Pneumatic Closer and Latch
- Protective **: active** PACKAGING
- Fiberglass Screening
- Special Sizes Available. 48 hour Lead Time.
(These doors cannot be cut down)



MODEL - HERITAGE

SERIES - 6600


FINISH - Black, Tan, White, Adobe,
Bronze Painted

GRILLE - 1" Extruded Push Bar Grille
Divided Lite Styled
9 Lite Pattern (shown) is Standard
For All Door Sizes.

SIZES - 30", 32", 36"

SPECIFICATIONS:

- 3/4" x 2-1/4" x .055 Extruded Frame
- Extruded Corner Locks with 4 Screws Per Corner
- Crossbuck Style Bottom Panel
- 1-3/4" Side & Bottom Adjustment Channels
- 3-Oilite Bearing Hinges Riveted to Channels
- Pneumatic Closer and Latch
- Protective **active** PACKAGING
- Fiberglass Screening
- Special Sizes Available. 48 hour Lead Time.
(These doors cannot be cut down) Widths; 28" Min. to 35-1/4" Max.



MODEL - GIANT


SERIES - 5700

FINISH - Anodized, Black, Tan, White
Bronze Painted

SIZES - 30", 32", 36", 42"

SPECIFICATIONS:

- 1" x 2-1/2" x .062 Extruded Frame
- Extruded Corner Locks with 4 Screws Per Corner
- 12" .038 Diamond Embossed Kick plate
- 1 Heavy Extruded 2" Push Bar
- 1-3/4" Side & Bottom Adjustment Channels
- 3 -3" Steel Hinges Riveted to Side Adjustment Channel
- Pneumatic Closer and Latch
- Protective **: active** PACKAGING
- Fiberglass Screening
- Special Sizes Available.



MODEL - COMBO


SERIES - 5100

FINISH - Bronze Painted, Anodized, Tan,
White, Black, Mill Finish

SIZES - 30", 32", 36",

SPECIFICATIONS:

- 3/4" x 2-1/4" x .055 Extruded Frame
- Extruded Corner Locks with 4 Screws Per Corner
- Diamond Embossed Kick Panel
- 1-3/4" Side & Bottom Adjustment Channels
- 3-3" Oilite Bearing Hinges Riveted to Channel
- Heavy Duty Air Closer and Latch
- Protective **: active** PACKAGING
- Removable Tempered safety glass panels.
- Fiberglass Screening
- Special Sizes Available.
With Written Confirmation Only.



MODEL - OLYMPIA FULL, 5500
- OLYMPIA JR., 5600


FINISH - Anodized, Mill Finish, Black,
White, Bronze Painted

SIZES - 30", 32", 36", 42",

SPECIFICATIONS:

- 1" x 2-1/2" x .062 Extruded Frame
- Extruded Corner Locks with 4 Screws Per Corner
- Clear Glass Only
- Extruded .062 Adjustment Channels. Bottom Channel with Vinyl Weatherstrip.
- Heavy Duty Air Closer
- Lever Handle w/1" Deadbolt and Thumb Turn Cylinder
- Double Keyed Cylinder on request*
- Cylinders Keyed Alike on request
- Protective **: active** PACKAGING
- Fiberglass Insect Screening
- Olympia Full Features;
 - 2 Vertical Sliding tempered safety Glass Panels 29" High
 - Diamond Embossed Kick Panel
- Olympia Jr. Features;
 - 2 Vertical Sliding tempered safety Glass Panels 18 1/2" High
 - 2 Diamond Embossed Kick Panels
- Specify Handle Side
- Custom Sizes – Made to Order With Written Confirmation Only.

*** CAUTION:** Use of double keyed cylinder may be in violation of state or local building and fire codes. Check with appropriate governmental agency. Active Window shall not be liable for use of this product in violation of any code or law.



MODEL - CROSSBUCK

SERIES - 5900


FINISH - Black, White, Bronze Painted

SIZES - 30", 32", 36"

SPECIFICATIONS:

- 1" x 2-1/2" x 0.62 Extruded Frame
- 2 Vertical Sliding tempered safety glass panels. 18-1/2" High
- 3-Olite Bearing Hinges Riveted to Channel
- Extruded .062 Adjustment Channels. Bottom Channel with Vinyl Weaterstrip.
- Extruded Corners with 4 Screws Per Corner
- Crossbuck Style Bottom Panel
- Specify Handle Side
- Heavy Duty Air Closer
- Lever Handle w/1" Deadbolt and Thumb Turn Cylinder
- Double Keyed Cylinder on request*
- Cylinders Keyed Alike on request
- Protective **active** PACKAGING
- Fiberglass Screening
- Custom Sizes - Made to Order With Written Confirmation Only.
Widths: 28" Min. To 35-1/4" Max.

*** CAUTION:** Use of double keyed cylinder may be in violation of state or local building and fire codes. Check with appropriate governmental agency. Active Window shall not be liable for use of this product in violation of any code or law.



MODEL - SENTRY

SERIES - 4900

FINISH - Anodized, Black, Adobe, White, Bronze, Tan Painted


GRILLE - Heavy Duty 1/4" Extruded Aluminum Sentry Amplimesh

SIZES - 30", 32", 36", 42"

SPECIFICATIONS:

- 7/8" x 2-7/8" x .060 Extruded Frame
- Extruded Corner Locks
- 1-7/8" Slide & Bottom Adjustment Channels.
- 3-Oilite Bearing Hinges Riveted to Channel
- Heavy Duty Air Closer
Lever Handle w/1" Deadbolt and Thumb Turn Cylinder
- Double Keyed Cylinder on request*
- Cylinders Keyed Alike on request
- Protective **: active** PACKAGING
- Fiberglass Screening
- Special Sizes Available.

*** CAUTION:** Use of double keyed cylinder may be in violation of state or local building and fire codes. Check with appropriate governmental agency. Active Window shall not be liable for use of this product in violation of any code or law.



MODEL - GIBRALTAR

SERIES - 5000

FINISH - Anodized, Black, Adobe, White, Bronze, Tan Painted


GRILLE - Heavy Duty 1/4" Extruded Aluminum Gibraltar Amplimesh

SIZES - 30", 32", 36", 42"

SPECIFICATIONS:

- 7/8" x 2-7/8" x .060 Extruded Frame
- Extruded Corner Locks
- 1-7/8" Side & Bottom Adjustment Channels.
- 3-Oilite Bearing Hinges Riveted to Channel
- Fiberglass Screening
- Heavy Duty Air Closer
- Lever Handle w/1" Deadbolt and Thumb Turn Cylinder
- Double Keyed Cylinder on request*
- Cylinders Keyed Alike on request
- Protective **: active** PACKAGING
- Special Sizes to 41-1/4" Maximum. (Wide Stretched Mesh is Used in Doors Greater Than 35-1/4" and does not match That Used in Smaller Doors)

*** CAUTION: Use of double keyed cylinder may be in violation of state or local building and fire codes. Check with appropriate governmental agency. Active Window shall not be liable for use of this product in violation of any code or law.**



MODEL - R-32


SERIES - 1600

FINISH - Mill Finish

SIZES - 30", 32", 36", 42"

SPECIFICATIONS:

- 3/4" x 2 1/8" x .032 Roll Formed Frame
- Diecast Insert Corners
- 7" Wireable Kickplate
- 2-1 1/4" Push Bars
- 1-5/8" Side & Bottom Adjustment Channels
- 2-3" Oilite Bearing Hinges Riveted to Channel
- Pneumatic Closer and Latch
- Protective **: active** PACKAGING
- Fiberglass Screening
- Special Sizes Available To 84" Height (HSAC Available 84" Maximum)



- MODEL** - Electra
SERIES - 1900
FINISH - Mill Finish
GRILLE - Apollo, Large Pattern Expanded Metal Grille, Built-in with Plastic Grille Surround
SIZES - 30", 32", 36", 42"

SPECIFICATIONS:


- 3/4" x 2 1/8" x .032 Roll Formed Frame
- Diecast Insert Corners
- 2-1 1/4" Push Bars
- 1-5/8" Side and Bottom Adjustment Channels
- 2-3" Oilite Bearing Hinges Riveted to Channel
- Pneumatic Closer and Latch
- Protective **: active** PACKAGING
- Fiberglass Screening
- Special Sizes Available to 84" Height

SWINGING SCREEN DOORS

I. MEASURING

- A. Determine where door is to be installed
 1. With entry door closed, determine how far door knob sticks out
 - a. Is there a need to add a wood stop?
 - b. Is there a need to use jamb extender?
 - c. Is there a need to rebuild or add a whole new frame?

- B. Measure at the previously determined location
 1. Always measure width x height
 2. Some doors are handed and require identification
 - a. Always from the outside
 - b. Position of handle — right or left
 3. Handle placement on security and combination doors is dead center
 - a. If special placement is desired, state measurement from top of door to center line of handle and which side the handle is on



II. ORDERING

- A. Standard Doors
 1. 30", 32", 36" and 42" x 80 are considered standard
 - a. These doors measure 29¹/₄", 31¹/₄", 35¹/₄" & 41¹/₄" x 79³/₄" respectively
 - b. The openings these doors fit are as follows:
 29⁵/₈" - 30¹/₂"; 31⁵/₈" - 32¹/₂"; 35⁵/₈" - 36¹/₂"; 41⁵/₈" - 42¹/₂" x 80 - 81" respectively
 2. Order these doors by: series number, color and size
(examples: 3500 Z 36 = Montego, Bronze, 36")
 3. State type of screen cloth desired
(fiber, alum, char alum, char fibr, etc.)
 4. Give handling and special handling placement if applicable

- B. Special Doors
 1. After determining opening size, deductions of ³/₄" off width and ¹/₂" off height should be made to yield "Net Door Size"
 2. Active Window accepts orders for special doors in "Net Door Size" only
 - a. Never mix standard width with NET Height or NET width with standard height
 - b. If width or height is standard, call out size in NET inches
 - c. Double Doors
 1. After determining opening size, divide opening into 2 equal parts and address each half as a separate opening
 2. Make deductions as stated above to each half, and order 2 doors at those NET dimensions.

SWINGING SCREEN DOORS

3. Special doors should be ordered following the same format as used for standard doors
 - a. Series, Number, Color and S (special)
 - b. The NET door size, after allowances, should be given
 - c. Type of screen cloth
 - d. Any other special instructions (delete push bars, etc.)
 - e. Handling and handle placement applicable to storm doors
 - f. Handle placement applicable to security doors
 - g. To order special height kickplates, measure from bottom of door to top of kickplate holder
(Absolute minimum height is 6" for Model "E" based doors, 6¹/₄" for Giant based doors)

III. INSTALLING

- A. Mounting hinged channel
 1. Cut hinged channel 1/8" - 3/16" smaller than opening
 2. Average the play of channel and mount with screws
- B. Adjusting Screen Door
 1. Insert door into mounted hinged channel
 2. Adjust door to top of hinged channel and approx. 1/8" - 3/16" from opening opposite hinge
(This should leave a space approx. 1/8" around door except bottom)
- C. Mounting Bottom Channel
 1. Butt bottom channel up against hinged channel under door and cut length to match adjusted door
 2. Install channel and adjust down to the threshold
 3. Drill and install set screws
- D. Installing Lock and Closer
 1. Using the template found in hardware box, follow printed instructions on same
 2. Closer mounting instructions are found on bottom of hardware box